25X1 CLASSIFICATION SECRET CENTRAL INTELLIGENCE AGENCY INFORMATION REPORT COUNTRY USSR **SUBJECT** 25X1 Sanitation and Disease in Rural Areas/ Life NO OF PAGES Expectancy in Concentration Camps/Military Physical Standards/Effect of Famine of Early Thirties PLACE ACQUIRED NO. OF ENCLS. 25X1 ACQUIRED BY SCURCE SUPPLEMENT TO REPORT NO. DATE (of Info) 25X1 THIS IS UNEVALUATED INFORMATION 25X1 ı. 25X1 25X1 The people do not realise how and their health is because they know only what they are told, and they are told that most of the rest of the world is in misery compared with themselves. sanitary conditions are vastly inferior to the European and American average, 25X1 these deficiencies are directly responsible for most of their 25X1 health problems. 25X1 the people get plenty of medical instruction and know how to make 25X1 the best of their fundamentally bad health conditions. Medical students spend a great deal of time giving first-aid classes at factories and collective farms and granting medals to successful gradutes of courses in "sanitary 25X1 3. 25X1 25X1 CLASSIFICATION °25X1 DISTRIBUTION ACCLA 25X1

1

25X1

SECRET ۔ نے ۔ 25X1 , a man entering a European camp at age 25 could expect to live about ten years. An older man, say 40, would not last more than five or six years. The harshness of the Siberian climate makes life-expectancy in Siberian camps schewhat less than in the others. 5. 25X1 Physical standards were exceedingly low prior to World War II. Only the 25X1 grossest physical defects kept a man out of the army. The best physical specimens were sent to the Air Force, the Navy and the tank corps, and the infantry got the worst. Between 1939 and 1941 physical standards were lowered still further. Virtually everyone who could stand up was taken into the Army. 25X1 the famine of the early thirties affected those born during this period and those in the development stage 25X1 25X1 in general, the health of that age group has been greatly impaired. It is an age group characterized by a very high incidence of TB and rickets and lowered resistance to all infectious diseases. The life expectancy of the members of this age group has certainly been reduced although still too early to determine to what extent new drugs might offset this on an absolute basis. Relative to the rest of the population, this generation is 25X1 inferior, however. 7. sanitary conditions in the rural areas 25X1 25X1 In the cities throughout all of the USSR 25X1 garbage is collected regularly by a tax-supported municipal service. This garbage is burned. In the small towns and villages, 25X1 every dwelling has a garbage hole in the backyard into which the garbage is dropped. When the hole is filled, it is covered up and a new hole is dug. As a result, there is a pervasive garbage smell in the rural areas. One becomes umpleasantly aware of this smell at a distance of about three miles from every city. In the cities of 200 thousand and over, most of the dwellings have flush toilets. Outhouses are the rule in smaller cities and, without exception, in the towns and villages. Holes of about eight feet in depth are dug inside the outhouses. Where the ground is sandy, the holes are partly lined with stone. A family of four will fill one of these holes in about a your and then the waste, which has by this time turned to water, is scooped out in buckets and disposed of in the nearest river or streem. Young children not infrequently fell into these holes and drown. 8. sources of supply of drinking water in these areas 25X1 25X1 25X1 Drinking water in the large towns and cities is chlorinated and piped in from reservoirs. In the largest and most modern cities, a large percentage of the dwellings are directly supplied. In the smaller and more neglected cities the water is piped to public hydrants of which there is one for about SECRET 25X1

25X1

SECRET

change in their water supply during the more than thirty years of Soviet rule. These smaller communities receive their drinking water now, as they have for centuries, from the nearest mountain streams. This water is not purified and in most places it is brought into the community through pipes connected directly to the streams. There is frequently only one outlet for the whole town or village. Women by the dozens, and sometimes by the hundreds, carry their washing long distances to the water spouts and do their work there. In view of the untreated water which the villagers get, the incidence of diseases attributable to impure water is somewhat less than might be expected.

factors in the transmission of these diseases

25X1

Most of the USSR is crawling with lice, and typhus is the most prevalent disease in the rural areas. Typhus is also endemic in the cities, and almost every Soviet citizen has had the disease as a child. Tuberculosis is the second most prevalent disease in the rural areas and poor diet is the major reason for its high incidence. Typhoid epidemics occasionally break out in rural areas, especially along the border of Mongolia, but the disease has been brought fairly well under control. In northern Siberia, severe virus colds, frequently fatal, are endemic. In the rural areas of the USSR, as in the cities, scarlet fever and diphtheria have been almost eliminated through school immunization programs.

typical rural houses and associated outbuildings

The typical rural dwalling in the USSR is very small, consisting of only a kitchen and one other room. The kitchen serves as the bedroom, dining room, and living room. The other room is used for visitors and for the isolation of sick family members. This room, when not in use, is closed off during the winter to conserve heat. In the rural areas along the Turkish and Tranian berders, animals sometimes share these tiny houses with the people and sleep on the kitchen floor while the humans sleep on the large stove. Coment is virtually unknown in the rural dwellings of the USSR. The houses are built of store, earth, and chemped straw. Ventilation is terrible, and is usually provided only by a small hole in the roof, covered in bad weather by a piece of glass. The outhouse is normally the only associated tuilding of a rural house and these are built of wood in all areas where wood is available. Where wood is not available, such as in parts of the Caucasus, the outhouses are of carrie, stone and straw. One of the more miserable aspects of rural life in these woodless areas is that cow manure, elaborately prepared, is the only fuel.

11. settlements

25X1

25X1

25¥1 25X1

25X1

properties were clustered together in villages ranging from roughly, 50 to 300 family units. In the northern Caucasus about 50 houses to a settlement is generally the case. Farther north, 250-300 houses per village is the average.

......

SECRET

25X1